

| | | |
|-------------------------------|----------------------------|------------------|
| Notice of Allowability | Application No. | Applicant(s) |
| | 10/572,373 | NISHINO ET AL. |
| | Examiner Shawquia Young | Art Unit 1626 |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to an amendment filed on June 6, 2007.
2. The allowed claim(s) is/are 6-10, now renumbered 1-5.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 3/16/06
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Applicants have elected Group IV, claims 6 to 10, without traverse in a response filed on June 6, 2007. The claims 6-10 are considered allowable. This application is in condition for allowance except for the presence of claims 1-5 and 11-14 directed to a process for preparing compounds of formula (2), (3) or (9) non-elected without traverse. Accordingly, claims 1-5 and 11-14 been cancelled.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.


2. The application has been amended as follows:

Cancel claims 1-5 and 11-14.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The invention relates to a process for preparing a 4-substituted tetrahydropyran




represented by the formula

wherein R represents a cyano group, a

Art Unit: 1626

carboxyl group or an ester group which comprises subjecting a 4-substituted



tetrahydropyran-4-carboxylic acid represented by the formula to a decarboxylation in the presence of a metal catalyst. The closest prior art is JP 2000281672, et al. The process above in the presence of a metal catalyst is neither taught nor suggested by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Telephone Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shawquia Young whose telephone number is 571-272-9043. The examiner can normally be reached on 6:00 AM-2:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph McKane can be reached on 571-272-0699. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Art Unit: 1626

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Shawqula Young
Shawqula Young
Patent Examiner
Art Unit 1626, Group 1620
Technology Center 1600

KAMAL A. SAEED, PH.D.
PRIMARY EXAMINER
Kamal Saed

Joseph McKane
Supervisory Patent Examiner
Art Unit 1626, Group 1620
Technology Center 1600